

Meetrapport/measurement report nr.	332	DATE	29-05-2020	Lighthouse 3100 output	
Client name	Xindao B.V.	Mouth Mask Brand	Other		
adress	Verrijn stuartlaan 1D	Mouth Mask Type	Other		
email		sterilsed/new	New		
Phone					



GreenCycl BV 3454 PV De Meern info@greencycl.nl Tel.: 030 – 602 38 30	Operator Name time FOTO nr	PVS 13:30

benchmarking					
Flow	1F^3				
measurement time	1min				
Medisch Textiel					
particle size	0.3	0.5	1.0	3.0	5.0

environment particles 1	392102	81862	21719	1056	763
environment particles 2	392102	81862	21719	1056	763
avarage	392102	81862	21719	1056	763

particles counted	0.3 mu	0.5 mu	1.0 mu	3 mu	5 mu	percentage particles filtered [%]	0.3	0.5	1.0	3.0	5.0
Mask											
sample 1	341074	60327	12856	266	201		13	26	41	75	74
sample 2	342424	61263	13415	317	255		13	25	38	70	67

mean 341749,0 60795,0 13135,5 291,5 228,0 12,8 25,7 39,5 72,4 70,1

Important note:  

- Measurements are done with dry environmental particles according to our own standards. The percentages indicate the percentage of particles filtered per particle size category (0.3 0.5 1 and 5 mu) in a standardised volume of air. Measurements are done at 28 liter/min. More information can be found on [www.greencycl.org](http://www.greencycl.org).

- Each sample is 1 mask. All measurements will be published anonymously on [www.greencycl.org](http://www.greencycl.org).
- Sample 1&2 represent 2 different locations on the first masker